




AIR INTAKE

All Models



ELEMENTS/PRECLEANERS

Note: Elements and precleaners may appear differently for various models.

Style	Element (Photo A)	U.L. Element Equivalent	Inner Element (Photo B)	Precleaner (Photo C)	Model
1	45 083 02-S	52 083 04-S	—	45 083 01-S	CV17-26/730-745* (Commercial mowing)
1	47 083 01-S	47 083 04-S	—	52 083 01-S	CH11-15
4	63 083 03-S	—	—	63 083 04-S	CS4-6 (Standard, dual element)
4	63 083 11-S	—	—	63 083 12-S	CS8.5/250cc (Standard, dual element)
4	63 083 01-S	—	—	63 083 02-S	CS8.5/300cc, 10-12 (Standard, dual element)
6	63 083 06-S	—	—	—	CS4-6 (Foam, single element)
6	63 083 05-S	—	—	—	CS8.5/300cc, 10-12 (Foam, single element)
7	63 083 07-S	—	—	63 083 08-S	CS4-6 (Heavy-duty cyclonic)
7	63 083 10-S	—	—	63 083 09-S	CS8.5/250-300cc, 10-12 (Heavy-duty cyclonic)
8	63 083 13-S	—	—	63 083 14-S	CS8.5/250cc (Low profile, dual element)
4	63 083 15-S	—	—	63 083 16-S	CS10(931600),CS12 (941600)
1	15 083 06-S	15 083 12-S	—	234870-S	CH6
2	12 083 05-S**	12 083 15-S**	—	12 083 08-S	CV11-16/460-493 (Standard)
2	12 083 10-S**	12 083 13-S**	—	12 083 12-S	CV11-16/460-493 (Tall)
1	47 083 03-S	24 083 08-S	—	24 083 02-S	CH/CV17-22 (Standard 624cc), CH/CV22 (Standard 674cc)
1	24 083 03-S	24 083 09-S	—	24 083 05-S	CH/CV25-26/730-745 (Standard)
5	24 083 07-S	—	—	—	CH/CV17-22 Metal H.D. A/C
5	25 083 01-S	—	25 083 04-S	—	CH/CV17-26/730-745/LH630-760 Plastic H.D. A/C
3	28 083 03-S**	—	—	28 083 02-S	TH520-575 (Standard)
1	28 083 04-S	—	—	28 083 06-S	TH520-575 (Top tank)
5	25 083 02-S	—	25 083 03-S	—	TH520-575 Plastic H.D. A/C
4	66 083 01-S	—	—	66 083 03-S	LV625-675

Notes: * For dome-style air cleaners.
** Includes element and rubber seal.

GO-KART RACING FILTER




Washable, all-foam filter for C6XKE go-kart engine. Replaces standard CH6 filter and pre-cleaner.

Part No.	Description	Model
15 083 13-S	Washable filter	C6XKE



AIR INTAKE

All Models



ANTI-ICING COMPONENTS

These parts may be used without jeopardizing their engines' CARB/EPA certification. However, customers MUST follow the instructions included with each component to ensure compliance.


Kit No.	Model	As Low As	Notes	Heat From	Item
24 755 64-S	CH18-22	20° F	For PTO mufflers	Muffler	1 (shown)
24 755 65-S	CH25-26/730-745	20° F	For PTO mufflers	Muffler	1
24 755 68-S*	CH18-22	20° F	For side mufflers	Manifold	2 (shown)
24 755 69-S*	CH25-26/730-745	20° F	For side mufflers	Manifold	2
24 755 82-S	CH18-26/730-745	-20° F	Includes starter side muffler***	Muffler	3
24 755 83-S*	CH18-22	-20° F	Includes filter side muffler***	Muffler	3 (shown)
54 755 06-S**	CH/CV17-26/730-745	—	Not for comm'l. mowers	—	4
54 755 17-S	CV17-26/730-745	-20° F	Breather valve system for snowthrowing applications only.	—	5
12 326 10-S****	CH11-15	—	Insulated breather hose	—	6

* Not for use on filter side of engine if equipped with oil cooler.

** Increases carb temperature approx. 13° F. Covers triangular holes (2) in blower housing. Remove above 45° F.

*** Tubes travel through mufflers to bring warm air to air cleaner.

**** Replaces existing breather hose to prevent icing.



FUEL RECOVERY/SPITBACK CONTROL SYSTEM

Kit No.	Description	Model
12 755 84-S	Fuel Recovery/Spitback Control Kit	CH11-15

Prevents fuel spitback and oil mist from affecting air cleaner element, or allowing residue to drip off air cleaner base. Engines built after serial number 2721720234 include this system.



PLENUM DOME COVER KIT

Kit No.	Snorkel O.D.	Hose Clamp Surface	Model
12 743 10-S	1.75"	.625"	CH11-15

Note: May attach to customer-supplied remote-mount air cleaner or precleaner and hose. Requires Kohler review for CARB/EPA approval or if TT sheet guidelines for connections cannot be met.



SEAL RETROFIT KIT

Kit No.	Description	Model
12 743 09-S	Seal Retrofit Kit	CH11-15

For engines before Serial number 2519500004. Seal replaces loose washer and grommet in cover plate. Kit includes seal and element.




Part No.	Description	Model
12 096 41-S	Air Cleaner Cover (w/multilingual maintenance instructions)	CH11-15

Standard air cleaner cover, including multilingual maintenance instructions embossed underneath. Now available individually for engines built earlier.

AIR INTAKE

CV11-15/460-493



AIR CLEANER RETROFIT KITS

Kit No.	Description	Includes Filter	For Spec.	Item
12 743 03-S	Converts standard filter to large filter	Large*	A	1
12 743 04-S	Cover has opening to line up with opening in blower housing	Large*	B	2

A — Pro Series "T/ST" after serial number 2404917244, Pro Series "S" after serial number 2424505854.

B — Basic "S", lawn tractors.

*Large capacity filter is 20% greater than standard filter.

AIR INTAKE

All Models




FILTER MINDER

Vacuum-type gauge detects air inlet restrictions, signaling when to service air filter (when yellow indicator reaches red line).

Kit No.	Mounting	Air Drawn From	Model	Item
25 755 18-S	Remote*	Air cleaner base plate or heavy-duty air cleaner elbow	CH/CV11-16/460-493, CH/CV17-26/730-745, TH520-575	1
25 755 24-S	Direct**	Heavy-duty air cleaner elbow	CH18-26/730-745 TH520-575	2 3

*Not usable on TH520-575 with fuel tank. Includes 10' hose, adhesive-backed, brass fittings, instructions.

**Includes brass fittings, instructions.



HEAVY-DUTY AIR CLEANER KITS

Complete, engine-mounted system (items 1 and 2 used together) is CARB/EPA certified. Any remote-mounting configuration (item 1 plus remote-mounted air cleaner), must be Kohler approved for CARB/EPA. Filtering area is 1,398 sq. in. **Not usable on engines with plastic intake manifold.**

Kit No.	Description	Includes	Use With	Model	Item
24 743 20-S	Elbow/Adapter Kit*	A	AA	CH18-22 (624cc)/730-740	1
24 743 25-S	Elbow/Adapter Kit	A	AA	CH22/23 (674cc)	1
24 743 21-S	Elbow/Adapter Kit	A	AA	CH25	1
24 743 34-S	Elbow/Adapter Kit	A	AA	CH26/745 EFI	1
24 743 22-S	Air Cleaner Kit (90° canister elbow)**	B	BB	All	2
24 743 23-S	Air Cleaner Kit (Straight canister elbow)***	C	BB	All	2
25 755 24-S	Filter Minder Kit (Elbow mounted)****	D	AA	All	3
25 755 18-S	Filter Minder Kit (Remote mounted)*****	E	AA	All	—

*For CH730/740, carburetor replacement is necessary. Order assembly 24 853 93-S.

**Typically used for engine-mounted configuration (as shown). If remote-mounted, customer supplies hose (must be Kohler approved for CARB/EPA).

***Used with customer-supplied hose for remote-mount location. (Must be Kohler approved for CARB/EPA).

****Attaches to air canister elbow (per item 3). (See earlier page for description.)

*****Attaches to any remote location (front of engine, application, etc.). (See earlier page for description.)

Kits include instructions plus:

A - Carburetor elbow/adaptor, mounting bracket, 2" I.D. hose, hardware, debris shields for either knob-type or lever-type controls (see below).

B - Air cleaner canister(t), rain hood (25 324 02-S), main and inner filters, plug (25 139 20-S) to close Filter Minder opening if not used.

C - Air cleaner canister(†), rain hood (25 324 02-S), main and inner filters, cap (25 173 19-S) to close Filter Minder opening if not used.

D - Filter Minder, brass fittings.

E - Filter Minder, brass fittings, 10' hose, mounting bracket.


Use with:

AA - Air Cleaner Kit 24 743 22-S . . . or customer-supplied air cleaner, which must be Kohler approved for CARB/EPA.

BB - Elbow/Adapter Kit 24 743 20-S, 25-S, 21-S or 34-S.

(†) 90° air cleaner canister is comprised of: 25 081 01-S main body, 25 096 06-S end cap w/ejector valve & clips.

(‡) Straight air cleaner canister: no -S part number for main body, 25 096 06-S end cap w/ejector valve & clips.



DEBRIS SHIELDS

Both shields are included in Heavy-Duty Air Cleaner Kits above (carb/elbow) to prevent debris from interfering with throttle/choke controls. (Only one shield needed depending upon engine spec.)


Part No.	Used With	Model	Item
24 314 25-S	Knob-type controls, no controls, remote air cleaner	CH18-26/730-745 (Shown above)	1
24 314 29-S	Lever-type controls*	CH18-26/730-745	2

* Lever-type controls have been standard on CH18-25 panel specs since serial number 3009400011.


AIR INTAKE

CV18-26/730-745, LV625-675

COMMAND®



KOHLER AEGIS®



HEAVY-DUTY AIR CLEANER KITS

Complete, engine-mounted systems are CARB/EPA certified. Remote systems using either KOHLER® or customer-supplied air cleaner and hose, must be Kohler-approved for CARB/EPA. Filtering area is 1,398 sq. in. **Not usable on Command engines with plastic intake manifold.**

Kit No.	Description	Includes	Use With	Model	Item
24 743 36-S	Elbow/Adapter Kit	A	AA	Command CV18-22 (624cc)	1
24 743 37-S	Elbow/Adapter Kit	A	AA	Command CV22/23 (674cc)	1
24 743 38-S	Elbow/Adapter Kit	A	AA	Command CV25/730-740	1
24 743 39-S	Complete Kit	B	—	Command CV26/745 EFI	1,2
24 743 22-S	Air Cleaner Kit (90° canister elbow)*	C	BB	Command or Aegis*****	2
24 743 23-S	Air Cleaner Kit (straight canister elbow)**	D	BB	Command or Aegis*****	2
66 743 01-S	Elbow/Adapter Kit (remote only)	E	CC	Aegis LV625-675	4
25 755 24-S	Filter Minder Kit (Elbow-mounted***)	F	AA	All	3
25 755 18-S	Filter Minder Kit (Remote-mounted****)	G	AA	All	—

* Typically used for engine-mounted configuration (as shown). Not compatible with vertical positioned mufflers as shown in EXHAUST section.

** Used with customer-supplied hose for remote-mount location. (Must be Kohler-approved for CARB/EPA).

*** Attaches to outlet in canister. (See appearance and description of Filter Minder on earlier page.)

**** Attaches to any remote location. (See appearance and description of Filter Minder on earlier page.)

***** Usable on Aegis but **only** in remote-mount configuration, not engine-mounted.

Kits include instructions plus:

A - **Carburetor**, elbow/adapter, mounting brackets, 2" I.D. hose, hardware.

B - Elbow/adapter, mounting brackets, 2" I.D. hose, hardware, plus C.

C - Air cleaner canister(†), rain hood (25 324 02-S), main and inner filters, plug (25 139 20-S) to close Filter Minder opening if not used.

D - Air cleaner canister(†), rain hood (25 324 02-S), main and inner filters, cap (25 173 19-S) to close Filter Minder opening if not used.

E - Elbow/adapter, air cleaner gaskets, misc. hardware. Customer supplies 2" I.D. remote hose to air cleaner. (Must be Kohler-approved for CARB/EPA.)

F - Filter Minder, brass fittings.

G - Filter Minder, brass fittings, 10' hose, mounting bracket.

(†) 90° air cleaner canister is comprised of: 25 081 01-S main body, 25 096 06-S end cap w/ejector valve & clips.

(‡) Straight air cleaner canister is comprised of: no - S part number for main body, 25 096 06-S end cap w/ejector valve & clips.

Use with:

AA - Air Cleaner Kit 24 743 22-S . . . or customer-supplied air cleaner and hose, which must be Kohler-approved for CARB/EPA.

BB - Elbow/Adapter Kit 24 743 36-S, 37-S and 38-S; or 66 743 01-S (remote-mount only).


CC - Air Cleaner Kit 24 743 22-S or 23-S may **only** be used in remote-mounted configuration, not engine-mounted. Customer supplies 2" I.D. hose. (Must be Kohler-approved for CARB/EPA.)



AIR CLEANER BASE/BREATHER KIT

Kit No.	Description	Model
24 755 86-S	Base/breather kit	CV17-25/730-740

Note: Breather system for models with accelerator pump carburetor.



AIR CLEANER COVER KITS — STANDARD

Kit No.	For Engine With	Model	Item
24 743 05-S	No control panel	CH/CV17-25/730-740*	1
24 743 06-S	Control panel	CH18-26/730-740	2

Note: Covers include embossed KOHLER® name on outside, maintenance instructions on inside (English, Spanish, German, French).

*CV17-25/730-740 with standard air cleaner also requires 24 755 86-S kit (above).



AIR CLEANER COVER KITS — COMMERCIAL MOWER

Kit No.	Model	Item
24 743 11-S*	CV17-25/730-740	1
24 743 17-S**	CV17-25/730-740	2
24 743 32-S**	CV26/745	2

Note: Covers include embossed KOHLER name on outside, maintenance instructions on inside (English, Spanish, German, French).

*Cover is made of high-temp material for extreme conditions.

**Same as -11-S kit, but includes stud, seal and nuts for high-moisture conditions preventing water seepage under cover.



KNOB REPLACEMENT KIT

Kit No.	Description	Model
54 755 01-S	Knob Kit	CH/CV17-26/730-745, TH520-575*

*If used on TH520-575, only knob is required.



HEAVY-DUTY AIR CLEANER KITS

Complete, engine-mounted configuration (items 1 and 2 together) is CARB/EPA certified. Any remote-mounting configuration (item 1 plus remote-mounted air cleaner), must be Kohler approved for CARB/EPA. Filtering area is 838 sq. in.

Kit No.	Description	Includes	Use With	Item
28 743 14-S	Elbow/Adapter Kit	A	AA	1
28 743 16-S	Air Cleaner Kit (90° canister elbow)*	B	BB	2 (Shown)
28 743 17-S	Air Cleaner Kit (Straight canister elbow)**	C	BB	2
25 755 24-S	Filter Minder Kit (Elbow mounted)***	D	AA	3
25 755 18-S	Filter Minder Kit (Remote mounted)****	E	AA	—

* Typically used for engine-mounted configuration (as shown).

** Typically used with customer-supplied hose for remote-mount location (must be Kohler approved for CARB/EPA).

*** Attaches to air canister elbow (per Item 3). (See "ELEMENTS/PRECLEANERS" page for description.)

**** Attaches to any remote location (front of engine, application, etc.). (See "ELEMENTS/PRECLEANERS" page for description.)

Kits include instructions plus:

A - Elbow/adapter, mounting bracket, 2" I.D. hose, hardware.

B - Air cleaner canister(†), rain hood (25 324 01-S), main and inner filters, plug (25 139 20-S) to close Filter Minder opening if not used.

C - Air cleaner canister(‡), rain hood (25 324 01-S), main and inner filters, cap (25 173 19-S) to close Filter Minder opening if not used.

D - Filter Minder, brass fittings.

E - Filter Minder, brass fittings, 10' hose, mounting bracket.

Use with:

AA - Air Cleaner Kits 28 743 16-S or 17-S.

BB - Elbow/Adapter Kit 28 743 14-S . . . or customer-supplied air cleaner, which must be Kohler approved for CARB/EPA.

(†) 90° air cleaner canister is comprised of: 25 081 02-S main body, 25 096 05-S end cap w/ejector valve & clips.

(‡) Straight air cleaner canister: no -S part number for main body, 25 096 05-S end cap w/ejector valve & clips.

KNOB REPLACEMENT KIT

For standard air cleaner cover.

Kit No.	Description	Models
54 755 01-S	Knob Kit	TH520-575, CH/CV18-26/ 730-745*

*If used on TH520-575, only knob is required.

